Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile



Portafiltros de vacío y accesorios Advantec Sterlitech

Marca: STERLITECH

Ver producto en Cotecno | Solicitar cotización

Códigos de variantes

Referencia	Código
1	1201526
2	311000
3	311001
4	311002
5	311005
6	311010
7	311050
8	311100
9	311105
10	311110
11	311200
12	311201
13	311202
14	311208
15	311209
16	311220
17	311222
18	311225
19	311280
20	311290
21	311300

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Referencia	Código
22	311302
23	311304
24	311305
25	311320
26	311322
27	311380
28	311390
29	311400
30	311401
31	311402
32	311408
33	311409A
34	311410
35	311420
36	311422
37	311425
38	311431
39	311450
40	311480
41	311490
42	311500
43	311502
44	311504
45	311520
46	311522
47	311540
48	311580
49	311590
50	311600
51	311604

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Referencia	Código
52	311620
53	311680
54	311690
55	313001
56	313003
57	313004
58	313005
59	313010
60	313012
61	313012b
62	313203
63	313204
64	313401
65	313403
66	313410
67	313430
68	313603

Detalle | Especificaciones | Aplicaciones

Detalle

Portafiltros de vacío y accesorios Advantec Sterlitech

Producto publicado con base en la ficha vigente del proveedor Sterlitech.

SKU	Nombre proveedor	Fabricante	Categoría proveedor	Fuente
1201526	Acero inoxidable Table for Sistemas de sobremesa, 24" Height, 4x ruedas giratorias con bloqueo, 750lb Capacity	Sterlitech	Membrane/Process Development /// Sistemas de sobremesa	Ficha proveedor
167305-11	Rocker 300-LF30, Vacuum Filtration System, AC110V, 60Hz	Rocker	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311000	13mm Glass Microanalysis Holder, 100 ml, KG 13 A (For use with 25mm membranes)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311001	100ml Funnel KG13A	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor

SKU	Nombre proveedor	Fabricante	Categoría proveedor	Fuente
311002	KG13 Sintered Support Base	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311005	Minimax Funnel 1.1cm2, 500mL	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311010	Minimax Funnel 1.1cm2 EFA, 1 Liter Cap	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311050	13mm Glass Microanalysis Holder, 500 ml, KG 13 B (For use with 25mm membranes)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311100	13mm Glass Microanalysis Holder, 13/100 ml, KG 13 AA (For use with 25mm membranes)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311105	13ml Microfunnel	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311110	13mm Glass Microanalysis Holder, 1000 ml, KG 13 C (For use with 25mm membranes)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311200	25mm Glass Microanalysis Holder, 15 ml, KG 25	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311201	KG25 Funnel, 15mL	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311202	KG25 Sintered Support Base	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311208	KG(S) 25 Borosilicate Replacement Funnel, 150ml	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311209	KG(S) 25 Borosilicate Replacement Funnel, 300ml	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311220	All-Glass Filtration Assembly, Glass frit, GFA 25	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311222	25mm Frit to Female Joint w/Tube Adapter	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311225	Borosilicate Glass Filter Flask, 250 ml, 19/22 male joint (ground glass)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311280	25mm Glass Microanalysis Holder, 150 ml, KG 25 A	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311290	25mm Glass Microanalysis Holder, 300 ml, KG 25 B	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311300	25mm Glass Microanalysis Holder, 15 ml, KGS 25	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311302	KGS 25 Support Screen Base Repuesto	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311304	KGS 25 Acero inoxidable Support Screen Repuesto	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311305	Gasket, PTFE	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor

SKU	Nombre proveedor	Fabricante	Categoría proveedor	Fuente
311320	All-Glass Filtration Assembly, Acero inoxidable, GFS 25	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311322	25mm Support to Female Joint w/Tub Adapter	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311380	25mm Glass Microanalysis Holder, 150 ml, KGS 25 A	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311390	25mm Glass Microanalysis Holder, 300 ml, KGS 25 B	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311400	47mm Glass Microanalysis Holder, Glass Frit Support, 300 ml, KG 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311401	KG47 Funnel 300mL	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311402	KG47 Sintered Support Base	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311408	Funnel 100ml Straight Wall	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311409A	Funnel, 500 ml Beveled	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311410	47mm Funnel, 1000mL Graduated	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311420	All-Glass Filtration Assembly, Glass frit, GFA 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311422	402 Base w/Tubulated 40/35 Cap	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311425	Borosilicate Glass Filter Flask, 1 L, 40/35 male joint (ground glass)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311431	Borosilicate Glass Vacuum Filter Flask, 2L, 1/4"	Sterlitech	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311450	47mm Glass Extension 2-in	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311480	47mm Glass Microanalysis Holder, 100 ml, KG 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311490	47mm Glass Microanalysis Holder, 500 ml, KG 47	Advantec	Portafiltros /// Vacuum Portafiltros | Applications /// Food & Beverage	Ficha proveedor
311500	47mm Glass Microanalysis Holder, Acero inoxidable Support, 300 ml, KGS 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311502	47mm Base for SS/PTFE Screen	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311504	KGS47 Support Screen 304 Acero inoxidable, 100 Mesh	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311520	All-Glass Filtration Assembly, Acero inoxidable, GFA 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311522	502 Base W/Tubulated 40/35 Cap	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor

SKU	Nombre proveedor	Fabricante	Categoría proveedor	Fuente
311540	47mm Glass Microanalysis Holder, PTFE Support, 300 ml, KGT 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311580	47mm Glass Microanalysis Holder, 100 ml, KGS 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311590	47mm Glass Microanalysis Holder, 500 ml, KGS 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311600	47mm Glass Microanalysis Holder, All-PTFE seals, Glass frit support, 300 ml, KG 47 TF	Advantec	Portafiltros /// Vacuum Portafiltros | Applications /// Food & Beverage	Ficha proveedor
311604	47mm Glass Microanalysis Holder KGT 47 Replacement PTFE Support	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311620	All-Glass Filtration Assembly, PTFE, GFT 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311680	47mm Glass Microanalysis Holder, 100 ml, KGT 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
311690	47mm Glass Microanalysis Holder, 500 ml, KGT 47	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313001	Handles for KM3	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313003	Main Manifold KM3 (3-Places, SS)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313004	Flushing Manifold KM3 (3-Places, SS)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313005	3-Way Valve Stopcock Assembly	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313010	Replacement Standard Cup Funnel Holder, Acero inoxidable Manifold	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313012	Pipe Plug 316SS 1/4"NPT Male	Advantec	Portafiltros /// Pressure Portafiltros	Ficha proveedor
313012b	Pipe Plug	Sterlitech	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313203	Main Manifold KM6 (6-Places, SS)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313204	Flushing Manifold KM6 (6-Places, SS)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313401	Handle KMP3 (6) PVC	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313403	Main Manifold KMP3 PVC	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313410	Replacement Standard Cup Funnel Holder for PVC Manifold	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor
313430	Stopcock Set (PVC)	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

SKU	Nombre proveedor	Fabricante	Categoría proveedor	Fuente
313603	Main Manifold KMP6 PVC	Advantec	Portafiltros /// Vacuum Portafiltros	Ficha proveedor

Producto Rocker

Sistema de filtración Rocker 300 – LF 30

Especificaciones técnicas

Familia Odoo	Portafiltros de vacío y accesorios Advantec Sterlitech
Fichas fuente	69

1201526

SKU Sterlitech	1201526
Ficha del fabricante	Acero inoxidable Table for Sistemas de sobremesa, 24" Height, 4x ruedas giratorias con bloqueo, 750lb Capacity
URL fuente	

Datos visibles del fabricante

Acero inoxidable Table for Sistemas de sobremesa, 24" Height, 4x ruedas giratorias con bloqueo, 750lb Capacity SKU: 1201526 Brand: Sterlitech Dimensiones: 24x48x30

167305-11

SKU Sterlitech	167305-11
Ficha del fabricante	Rocker 300-LF30, Vacuum Filtration System, AC110V, 60Hz
URL fuente	

Datos visibles del fabricante

Rocker 300-LF30, Vacuum Filtration System, AC110V, 60Hz SKU: 167305-11 Brand: Rocker

Contenido visible del fabricante

Especificaciones Filtration Systems Item Filter diameter (mm) Filtration area (cm²) Filter support Funnel Funnel capacity (mL) Flask Flask capacity (mL) Max vacuum (mbar) Flow rate (L/min) Hose barb (inch) Filtration System Lafil 300 - LF 30 47 12.5 PP PES w/ PP funnel lid 300 PC w/ overflow protection 1200 105 23 5/16 Lafil 300 - LF 32 47 n.d. SS316 SS316 n.d. PC w/ overflow protection 1200 105 23 5/16 Lafil 400 - LF 32 47; 50 n.d. SS316 SS316 n.d. PC w/ overflow protection 1200 30 23 5/16 Lafil 400 - LF 30 47; 50 n.d. PP PES 300 PC w/ overflow protection 1200 30 23 5/16 Lafil 400 - SF 10 47 12.5 SS316 SS316 100 PC w/ overflow protection 1200 25 23 5/16 Rocker 300 - LF 30 47 12.5 PP PES w/ PC Support base 300 PC w/ overflow protection 1200 99 23 5/16 Rocker 300C - VF 12 47 12.5 Sintered Glass Borosilicate glass 300 Borosilicate glass 1000 99 23 5/16 Rocker 300 - MF 31 47 13.1 PES PES w/ PP funnel lid 300 Borosilicate glass w/ drain 1000 99 23 5/16 Rocker 300 - LF 30 - SS 47; 50 12.5 PP PES w/ PP funnel lid 300 PC w/ overflow protection 1200 99 23 5/16 Rocker 300 - LF 32 47 n.d. SS316 SS316 100 PC w/ overflow protection 1200 99 23 5/16 Rocker 300 - LF 31 47 12.5 PP PES 300 for 110V 100 for 220 V Borosilicate glass w/ drain 1000 for 110V 1200 for 220V 99 23 5/16 Rocker 300 - SF 30 47 12.5 SS316 SS316 300 PC w/ overflow protection 1200 99 23 5/16 Rocker 300 - SF 10 47 12.5 SS316 SS316 100 PC w/ overflow protection 1200 99 23 5/16 Lafil 400 - LF 5a - 500 (110 V) 47; 50 n.d. n.d. PES w/ PP lid 500 Borosilicate glass 500 30 25 5/16 Lafil 400 - LF 5a - 500 (220 V) n.d. n.d. n.d. PE w/ PE lid 500 and 1000 Borosilicate glass 500 (1000 mL optional) 30 22 5/16 Rocker 300 - LF33 47 n.d. SS316 PES w/ PP funnel lid 300 PC w/ overflow protection 1200 99 23 5/16 SFC 142mm continuos Portafiltro 142 124.6 SS304 - - - - - - 5/16 Vacuum Filtration System International Certificates CE certification (Rocker 300) CSA certification (Rocker 300) IP30 protection (Rocker 300) RoHS certification (Rocker 300) Applications Applications Vacuum filtration Microbial detection HPLC mobile phase purification Suspended solid test

Tabla fuente 1

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Item	Filter diameter (mm)	Filtration area (cm²)	Filter support	Funnel	Funnel capacity (mL)	Flask	Flask capacity (mL)	Max vacuum (mbar)	Flow rate (L/min)	Hose barb (inch)
Filtration System	Filtration System	Filtration System	Filtration System	Filtration System	Filtration System	Filtration System	Filtration System	Filtration System	Filtration System	Filtration System
Lafil 300 - LF 30	47	12.5	PP	PES w/ PP funnel lid	300	PC w/ overflow protection	1200	105	23	5/16
Lafil 300 - LF 32	47	n.d.	SS316	SS316	n.d.	PC w/ overflow protection	1200	105	23	5/16
Lafil 400 - LF 32	47; 50	n.d.	SS316	SS316	n.d.	PC w/ overflow protection	1200	30	23	5/16
Lafil 400 - LF 30	47; 50	n.d.	PP	PES	300	PC w/ overflow protection	1200	30	23	5/16
Lafil 400 - SF 10	47	12.5	SS316	SS316	100	PC w/ overflow protection	1200	25	23	5/16
Rocker 300 - LF 30	47	12.5	PP	PES w/ PC Support base	300	PC w/ overflow protection	1200	99	23	5/16
Rocker 300C - VF 12	47	12.5	Sintered Glass	Borosilicate glass	300	Borosilicate glass	1000	99	23	5/16
Rocker 300 - MF 31	47	13.1	PES	PES w/ PP funnel lid	300	Borosilicate glass w/ drain	1000	99	23	5/16
Rocker 300 - LF 30 - SS	47; 50	12.5	PP	PES w/ PP funnel lid	300	PC w/ overflow protection	1200	99	23	5/16
Rocker 300 - LF 32	47	n.d.	SS316	SS316	100	PC w/ overflow protection	1200	99	23	5/16
Rocker 300 - LF 31	47	12.5	PP	PES	300 for 110V 100 for 220 V	Borosilicate glass w/ drain	1000 for 110V 1200 for 220V	99	23	5/16
Rocker 300 - SF 30	47	12.5	SS316	SS316	300	PC w/ overflow protection	1200	99	23	5/16
Rocker 300 - SF 10	47	12.5	SS316	SS316	100	PC w/ overflow protection	1200	99	23	5/16
Lafil 400 - LF 5a - 500 (110 V)	47; 50	n.d.	n.d.	PES w/ PP lid	500	Borosilicate glass	500	30	25	5/16
Lafil 400 - LF 5a - 500 (220 V)	n.d.	n.d.	n.d.	PE w/ PE lid	500 and 1000	Borosilicate glass	500 (1000 mL optional)	30	22	5/16
Rocker 300 - LF33	47	n.d.	SS316	PES w/ PP funnel lid	300	PC w/ overflow protection	1200	99	23	5/16
SFC 142mm continuos Portafiltro	142	124.6	SS304	-	-	-	-	-	-	5/16

311000

SKU Sterlitech	311000
Ficha del fabricante	13mm Glass Microanalysis Holder, 100 ml, KG 13 A (For use with 25mm membranes)
URL fuente	

Datos visibles del fabricante

13mm Glass Microanalysis Holder, 100 ml, KG 13 A (For use with 25mm membranes) SKU: 311000 Brand: Advantec Material Type: Sintered Glass Funnel Size: 100mL Filter Area: 13mm

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311001

SKU Sterlitech	311001
Ficha del fabricante	100ml Funnel KG13A
URL fuente	

Datos visibles del fabricante

100ml Funnel KG13A SKU: 311001 Brand: Advantec Size (mm): 13

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311002

SKU Sterlitech	311002
Ficha del fabricante	KG13 Sintered Support Base
URL fuente	

Datos visibles del fabricante

KG13 Sintered Support Base SKU: 311002 Brand: Advantec Size (mm): 13

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311005

SKU Sterlitech	311005
Ficha del fabricante	Minimax Funnel 1.1cm2, 500mL
URL fuente	

Datos visibles del fabricante

Minimax Funnel 1.1cm2, 500mL SKU: 311005 Brand: Advantec Size (mm): 13

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311010

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

SKU Sterlitech	311010
Ficha del fabricante	Minimax Funnel 1.1cm2 EFA, 1 Liter Cap
URL fuente	

Datos visibles del fabricante

Minimax Funnel 1.1cm2 EFA, 1 Liter Cap SKU: 311010 Brand: Advantec Size (mm): 13

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311050

SKU Sterlitech	311050
Ficha del fabricante	13mm Glass Microanalysis Holder, 500 ml, KG 13 B (For use with 25mm membranes)
URL fuente	

Datos visibles del fabricante

13mm Glass Microanalysis Holder, 500 ml, KG 13 B (For use with 25mm membranes) SKU: 311050 Brand: Advantec Material Type: Sintered Glass Funnel Size: 500mL Filter Area: 13mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311100

SKU Sterlitech	311100
Ficha del fabricante	13mm Glass Microanalysis Holder, 13/100 ml, KG 13 AA (For use with 25mm membranes)
URL fuente	

Datos visibles del fabricante

13mm Glass Microanalysis Holder, 13/100 ml, KG 13 AA (For use with 25mm membranes) Sterlitech glass Portafiltros are used for the filtration of small volumes for biological or particulate contamination. SKU: 311100 Brand: Advantec Material Type: Sintered Glass Funnel Size: 13/100mL Filter Area: 13mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311105

SKU Sterlitech	311105
Ficha del fabricante	13ml Microfunnel
URL fuente	

Datos visibles del fabricante

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

13ml Microfunnel SKU: 311105 Brand: Advantec Size (mm): 13

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311110

SKU Sterlitech	311110
Ficha del fabricante	13mm Glass Microanalysis Holder, 1000 ml, KG 13 C (For use with 25mm membranes)
URL fuente	

Datos visibles del fabricante

13mm Glass Microanalysis Holder, 1000 ml, KG 13 C (For use with 25mm membranes) SKU: 311110 Brand: Advantec Material Type: Sintered Glass Funnel Size: 1000mL Filter Area: 13mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)

Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311200

SKU Sterlitech	311200
Ficha del fabricante	25mm Glass Microanalysis Holder, 15 ml, KG 25
URL fuente	

Datos visibles del fabricante

25mm Glass Microanalysis Holder, 15 ml, KG 25 SKU: 311200 Brand: Advantec Material Type: Sintered Glass Funnel Size: 15mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311201

SKU Sterlitech	311201
Ficha del fabricante	KG25 Funnel, 15mL
URL fuente	

Datos visibles del fabricante

KG25 Funnel, 15mL SKU: 311201 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE

gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum

Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311202

SKU Sterlitech	311202
Ficha del fabricante	KG25 Sintered Support Base
URL fuente	

Datos visibles del fabricante

KG25 Sintered Support Base SKU: 311202 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311208

SKU Sterlitech	311208
Ficha del fabricante	KG(S) 25 Borosilicate Replacement Funnel, 150ml
URL fuente	

Datos visibles del fabricante

KG(S) 25 Borosilicate Replacement Funnel, 150ml SKU: 311208 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker

Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311209

SKU Sterlitech	311209
Ficha del fabricante	KG(S) 25 Borosilicate Replacement Funnel, 300ml
URL fuente	

Datos visibles del fabricante

KG(S) 25 Borosilicate Replacement Funnel, 300ml SKU: 311209 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311220

SKU Sterlitech	311220
Ficha del fabricante	All-Glass Filtration Assembly, Glass frit, GFA 25
URL fuente	

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Datos visibles del fabricante

All-Glass Filtration Assembly, Glass frit, GFA 25 SKU: 311220 Brand: Advantec Material Type: Glass Frit Support Funnel Size: 15mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit

Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311222

SKU Sterlitech	311222
Ficha del fabricante	25mm Frit to Female Joint w/Tube Adapter
URL fuente	

Datos visibles del fabricante

25mm Frit to Female Joint w/Tube Adapter SKU: 311222 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper

GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311225

SKU Sterlitech	311225
Ficha del fabricante	Borosilicate Glass Filter Flask, 250 ml, 19/22 male joint (ground glass)
URL fuente	

Datos visibles del fabricante

Borosilicate Glass Filter Flask, 250 ml, 19/22 male joint (ground glass) SKU: 311225 Brand: Advantec

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311280

SKU Sterlitech	311280
Ficha del fabricante	25mm Glass Microanalysis Holder, 150 ml, KG 25 A
URL fuente	

Datos visibles del fabricante

25mm Glass Microanalysis Holder, 150 ml, KG 25 A SKU: 311280 Brand: Advantec Material Type: Sintered Glass Funnel Size: 150mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask

Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311290

SKU Sterlitech	311290
Ficha del fabricante	25mm Glass Microanalysis Holder, 300 ml, KG 25 B
URL fuente	

Datos visibles del fabricante

25mm Glass Microanalysis Holder, 300 ml, KG 25 B SKU: 311290 Brand: Advantec Material Type: Sintered Glass Funnel Size: 300mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311300

SKU Sterlitech	311300
Ficha del fabricante	25mm Glass Microanalysis Holder, 15 ml, KGS 25
URL fuente	

Datos visibles del fabricante

25mm Glass Microanalysis Holder, 15 ml, KGS 25 SKU: 311300 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 15mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90

Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311302

SKU Sterlitech	311302
Ficha del fabricante	KGS 25 Support Screen Base Repuesto
URL fuente	

Datos visibles del fabricante

KGS 25 Support Screen Base Repuesto SKU: 311302 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311304

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

SKU Sterlitech	311304
Ficha del fabricante	KGS 25 Acero inoxidable Support Screen Repuesto
URL fuente	

Datos visibles del fabricante

KGS 25 Acero inoxidable Support Screen Repuesto SKU: 311304 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311305

SKU Sterlitech	311305
Ficha del fabricante	Gasket, PTFE
URL fuente	

Datos visibles del fabricante

Gasket, PTFE SKU: 311305 Brand: Advantec Size (mm): 20

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311320

SKU Sterlitech	311320
Ficha del fabricante	All-Glass Filtration Assembly, Acero inoxidable, GFS 25
URL fuente	

Datos visibles del fabricante

All-Glass Filtration Assembly, Acero inoxidable, GFS 25 SKU: 311320 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 15mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100,

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311322

SKU Sterlitech	311322
Ficha del fabricante	25mm Support to Female Joint w/Tub Adapter
URL fuente	

Datos visibles del fabricante

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

25mm Support to Female Joint w/Tub Adapter SKU: 311322 Brand: Advantec Size (mm): 25

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311380

SKU Sterlitech	311380
Ficha del fabricante	25mm Glass Microanalysis Holder, 150 ml, KGS 25 A
URL fuente	

Datos visibles del fabricante

25mm Glass Microanalysis Holder, 150 ml, KGS 25 A SKU: 311380 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 150mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	**25**	**25**	**47**	**47**	**47**	**47**	**90**	**90**	**90**
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)

Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311390

SKU Sterlitech	311390
Ficha del fabricante	25mm Glass Microanalysis Holder, 300 ml, KGS 25 B
URL fuente	

Datos visibles del fabricante

25mm Glass Microanalysis Holder, 300 ml, KGS 25 B SKU: 311390 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 300mL Filter Area: 25mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311400

SKU Sterlitech	311400
Ficha del fabricante	47mm Glass Microanalysis Holder, Glass Frit Support, 300 ml, KG 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, Glass Frit Support, 300 ml, KG 47 SKU: 311400 Brand: Advantec Material Type: Glass Frit Support Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask

Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311401

SKU Sterlitech	311401
Ficha del fabricante	KG47 Funnel 300mL
URL fuente	

Datos visibles del fabricante

KG47 Funnel 300mL SKU: 311401 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311402

SKU Sterlitech	311402
Ficha del fabricante	KG47 Sintered Support Base
URL fuente	

Datos visibles del fabricante

KG47 Sintered Support Base SKU: 311402 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker

Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311408

SKU Sterlitech	311408
Ficha del fabricante	Funnel 100ml Straight Wall
URL fuente	

Datos visibles del fabricante

Funnel 100ml Straight Wall SKU: 311408 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311409A

SKU Sterlitech	311409A
Ficha del fabricante	Funnel, 500 ml Beveled
URL fuente	

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Datos visibles del fabricante

Funnel, 500 ml Beveled SKU: 311409A Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit

Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311410

SKU Sterlitech	311410
Ficha del fabricante	47mm Funnel, 1000mL Graduated
URL fuente	

Datos visibles del fabricante

47mm Funnel, 1000mL Graduated SKU: 311410 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)

Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311420

SKU Sterlitech	311420
Ficha del fabricante	All-Glass Filtration Assembly, Glass frit, GFA 47
URL fuente	

Datos visibles del fabricante

All-Glass Filtration Assembly, Glass frit, GFA 47 SKU: 311420 Brand: Advantec Material Type: Sintered Glass Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311422

SKU Sterlitech	311422
Ficha del fabricante	402 Base w/Tubulated 40/35 Cap
URL fuente	

Datos visibles del fabricante

402 Base w/Tubulated 40/35 Cap SKU: 311422 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE

gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum

Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311425

SKU Sterlitech	311425
Ficha del fabricante	Borosilicate Glass Filter Flask, 1 L, 40/35 male joint (ground glass)
URL fuente	

Datos visibles del fabricante

Borosilicate Glass Filter Flask, 1 L, 40/35 male joint (ground glass) SKU: 311425 Brand: Advantec

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311431

SKU Sterlitech	311431
Ficha del fabricante	Borosilicate Glass Vacuum Filter Flask, 2L, 1/4"
URL fuente	

Datos visibles del fabricante

Borosilicate Glass Vacuum Filter Flask, 2L, 1/4" SKU: 311431 Brand: Sterlitech

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker

Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311450

SKU Sterlitech	311450
Ficha del fabricante	47mm Glass Extension 2-in
URL fuente	

Datos visibles del fabricante

47mm Glass Extension 2-in SKU: 311450 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311480

SKU Sterlitech	311480
Ficha del fabricante	47mm Glass Microanalysis Holder, 100 ml, KG 47
URL fuente	

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Datos visibles del fabricante

47mm Glass Microanalysis Holder, 100 ml, KG 47 SKU: 311480 Brand: Advantec Material Type: Sintered Glass Funnel Size: 100mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit

Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311490

SKU Sterlitech	311490
Ficha del fabricante	47mm Glass Microanalysis Holder, 500 ml, KG 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, 500 ml, KG 47 SKU: 311490 Brand: Advantec Material Type: Sintered Glass Funnel Size: 500mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311500

SKU Sterlitech	311500
Ficha del fabricante	47mm Glass Microanalysis Holder, Acero inoxidable Support, 300 ml, KGS 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, Acero inoxidable Support, 300 ml, KGS 47 SKU: 311500 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311502

SKU Sterlitech	311502
Ficha del fabricante	47mm Base for SS/PTFE Screen
URL fuente	

Datos visibles del fabricante

47mm Base for SS/PTFE Screen SKU: 311502 Brand: Advantec Size (mm): 47

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311504

SKU Sterlitech	311504
Ficha del fabricante	KGS47 Support Screen 304 Acero inoxidable, 100 Mesh
URL fuente	

Datos visibles del fabricante

KGS47 Support Screen 304 Acero inoxidable, 100 Mesh SKU: 311504 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311520

SKU Sterlitech	311520
Ficha del fabricante	All-Glass Filtration Assembly, Acero inoxidable, GFA 47
URL fuente	

Datos visibles del fabricante

All-Glass Filtration Assembly, Acero inoxidable, GFA 47 SKU: 311520 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311522

SKU Sterlitech	311522
Ficha del fabricante	502 Base W/Tubulated 40/35 Cap
URL fuente	

Datos visibles del fabricante

502 Base W/Tubulated 40/35 Cap SKU: 311522 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311540

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

SKU Sterlitech	311540
Ficha del fabricante	47mm Glass Microanalysis Holder, PTFE Support, 300 ml, KGT 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, PTFE Support, 300 ml, KGT 47 SKU: 311540 Brand: Advantec Material Type: PTFE Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models

Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311580

SKU Sterlitech	311580
Ficha del fabricante	47mm Glass Microanalysis Holder, 100 ml, KGS 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, 100 ml, KGS 47 SKU: 311580 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 100mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311590

SKU Sterlitech	311590
Ficha del fabricante	47mm Glass Microanalysis Holder, 500 ml, KGS 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, 500 ml, KGS 47 SKU: 311590 Brand: Advantec Material Type: Acero inoxidable Funnel Size: 500mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100,

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311600

SKU Sterlitech	311600
Ficha del fabricante	47mm Glass Microanalysis Holder, All-PTFE seals, Glass frit support, 300 ml, KG 47 TF
URL fuente	

Datos visibles del fabricante

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

47mm Glass Microanalysis Holder, All-PTFE seals, Glass frit support, 300 ml, KG 47 TF SKU: 311600 Brand: Advantec Material Type: Glass Frit Support Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311604

SKU Sterlitech	311604
Ficha del fabricante	47mm Glass Microanalysis Holder KGT 47 Replacement PTFE Support
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder KGT 47 Replacement PTFE Support SKU: 311604 Brand: Advantec Size (mm): 47

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum

Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311620

SKU Sterlitech	311620
Ficha del fabricante	All-Glass Filtration Assembly, PTFE, GFT 47
URL fuente	

Datos visibles del fabricante

All-Glass Filtration Assembly, PTFE, GFT 47 SKU: 311620 Brand: Advantec Material Type: PTFE Funnel Size: 300mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311680

SKU Sterlitech	311680
Ficha del fabricante	47mm Glass Microanalysis Holder, 100 ml, KGT 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, 100 ml, KGT 47 SKU: 311680 Brand: Advantec Material Type: PTFE Funnel Size: 100mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

311690

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

SKU Sterlitech	311690
Ficha del fabricante	47mm Glass Microanalysis Holder, 500 ml, KGT 47
URL fuente	

Datos visibles del fabricante

47mm Glass Microanalysis Holder, 500 ml, KGT 47 SKU: 311690 Brand: Advantec Material Type: PTFE Funnel Size: 500mL Filter Area: 47mm

Contenido visible del fabricante

Especificaciones Tamaño de filtro (mm) 25 25 47 47 47 47 90 90 90 Model No. VF5 VF8 VF6 VF7 VF3 VF12 VF15 VF16 VF17 Brand Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Rocker Support Material Sintered glass SS with PTFE gasket Sintered glass SS with PTFE gasket Sintered glass Sintered glass SS316 Sintered glass Sintered glass Funnel Capacity (ml) 15 15 300 300 300 300 1000 1000 1000 Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper Material Silicone stopper Silicone stopper Silicone stopper Silicone stopper N/A Silicone stopper Silicone stopper Silicone stopper Silicone stopper GL45 Filtration Adaptor Material N/A N/A N/A N/A N/A PP (autoclavable) PP (autoclavable) PP (autoclavable) PP (autoclavable) Clamp Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Aluminum Filtration area (cm2) 3.1 2.5 13.2 9.6 13.2 13.2 40.6 40.6 40.6 Flask Capacity (ml) 125 125 1000 1000 1000 1000 5000 5000 3500 Flask Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass KG, KGS, KGT, and GF Models Tamaño de filtro (mm) 13 (will accept 25 mm) 25 47 90 13(will accept 25 mm) 25 Brand Advantec Advantec Advantec Advantec Sterlitech Sterlitech Support Material Sintered glass Sintered glass Acero inoxidable Sintered glass Acero inoxidable PTFE Sintered glass Acero inoxidable Glass Frit Glass Frit Funnel Capacity 13/100, 100, 500, 1000 mL 15, 150, 300 mL 100, 300, 500, 1000 mL 1000 mL 100ml 300ml Funnel Material Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Borosilicate glass Stopper #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 1 L flask #8 Silicone rubber for 250ml filtering flask #8 Silicone rubber for 1 L flask Clamp Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Anodized aluminum Filtration area (cm 2) 1.2 2.1 9.6 43 1.2 2.1 Applications DNA/RNA and protein filtration Gravimetric analyses Sterility and microbial testing, colony counting Solvent purification and filtration

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models

Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

313001

SKU Sterlitech	313001
Ficha del fabricante	Handles for KM3
URL fuente	

Datos visibles del fabricante

Handles for KM3 SKU: 313001 Brand: Advantec Material Type: Acero inoxidable

313003

SKU Sterlitech	313003
Ficha del fabricante	Main Manifold KM3 (3-Places, SS)
URL fuente	

Datos visibles del fabricante

Main Manifold KM3 (3-Places, SS) SKU: 313003 Brand: Advantec Material Type: Acero inoxidable

313004

SKU Sterlitech	313004
Ficha del fabricante	Flushing Manifold KM3 (3-Places, SS)
URL fuente	

Datos visibles del fabricante

Flushing Manifold KM3 (3-Places, SS) SKU: 313004 Brand: Advantec Material Type: Acero inoxidable

313005

SKU Sterlitech	313005
Ficha del fabricante	3-Way Valve Stopcock Assembly
URL fuente	

Datos visibles del fabricante

3-Way Valve Stopcock Assembly SKU: 313005 Brand: Advantec Material Type: Acero inoxidable

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

313010

SKU Sterlitech	313010
Ficha del fabricante	Replacement Standard Cup Funnel Holder, Acero inoxidable Manifold
URL fuente	

Datos visibles del fabricante

Replacement Standard Cup Funnel Holder, Acero inoxidable Manifold SKU: 313010 Brand: Advantec Material Type: Acero inoxidable

313012

SKU Sterlitech	313012
Ficha del fabricante	Pipe Plug 316SS 1/4"NPT Male
URL fuente	

Datos visibles del fabricante

Pipe Plug 316SS 1/4"NPT Male SKU: 313012 Brand: Advantec

Contenido visible del fabricante

Especificaciones 740160-1 740360-1 740560-1 740060-1 Volume (US gall) 1 3 5 10 Volume (liters) 3.78 11.3 18.9 37.8 Materials Vessel Skirt 316 Acero inoxidable Molded neoprene rubber 316 Acero inoxidable Molded neoprene rubber 316 Acero inoxidable Molded neoprene rubber 316 SS 316 SS Inlet/Outlet ¼” NPTF ¼” NPTF ¼” NPTF ¼” NPTF Closure 3 7/8” x 1 ¼” 3 7/8” x 1 ¼” 3 7/8” x 1 ¼” 3 7/8” x 1 ¼” Dimensiones Overall Height Inside Diameter 8.5” 9” 15.25” 9” 22.5” 9” 24.9” 12” Max. Temp (ºF) @ Max Pressure (psi) 300 @ 150 300 @ 150 300 @ 150 300 @ 110 Recommended Portafiltros KS 90 KS 90 ST KS 90 UH KS 142 KS 142 ST KST 142 UH KS 142 KS 142 ST KST 142 UH KS 293 KS 293 ST KS 293 UH Max Operating Temp and Pressures Maximum Operating Temperature Pressures ºF ºC psi Bar 100 38 165 11.4 200 93 165 11.4 300 149 155 10.7 Maximum operating temperature and pressure may be limited by vent relief valve Presión máxima, O-ring maximum temperature, rubber skirt maximum temperature, or other factors. Note: Cells are not autoclavable. Applications Contain process fluids for filtration through pressure type membrane Portafiltros Reservoir for pressurized feed solutions upstream of inline holder Recommended for low pH and high salt applications

Tabla fuente 1

	740160-1	740360-1	740560-1	740060-1
Volume (US gall)	1	3	5	10
Volume (liters)	3.78	11.3	18.9	37.8
Materials Vessel Skirt	316 Acero inoxidable Molded neoprene rubber	316 Acero inoxidable Molded neoprene rubber	316 Acero inoxidable Molded neoprene rubber	316 SS 316 SS
Inlet/Outlet	¼” NPTF	¼” NPTF	¼” NPTF	¼” NPTF
Closure	3 7/8” x 1 ¼”	3 7/8” x 1 ¼”	3 7/8” x 1 ¼”	3 7/8” x 1 ¼”
Dimensiones Overall Height Inside Diameter	8.5” 9”	15.25” 9”	22.5” 9”	24.9” 12”
Max. Temp (ºF) @ Max Pressure (psi)	300 @ 150	300 @ 150	300 @ 150	300 @ 110
Recommended Portafiltros	KS 90 KS 90 ST KS 90 UH	KS 142 KS 142 ST KST 142 UH	KS 142 KS 142 ST KST 142 UH	KS 293 KS 293 ST KS 293 UH

Tabla fuente 2

Maximum Operating Temperature	Maximum Operating Temperature	Pressures	Pressures
ºF	ºC	psi	Bar
100	38	165	11.4

200	93	165	11.4
300	149	155	10.7

313012b

SKU Sterlitech	313012b
Ficha del fabricante	Pipe Plug
URL fuente	

Datos visibles del fabricante

Pipe Plug SKU: 313012b Brand: Sterlitech Material Type: Acero inoxidable

313203

SKU Sterlitech	313203
Ficha del fabricante	Main Manifold KM6 (6-Places, SS)
URL fuente	

Datos visibles del fabricante

Main Manifold KM6 (6-Places, SS) SKU: 313203 Brand: Advantec Material Type: Acero inoxidable

313204

SKU Sterlitech	313204
Ficha del fabricante	Flushing Manifold KM6 (6-Places, SS)
URL fuente	

Datos visibles del fabricante

Flushing Manifold KM6 (6-Places, SS) SKU: 313204 Brand: Advantec Material Type: Acero inoxidable

313401

SKU Sterlitech	313401
Ficha del fabricante	Handle KMP3 (6) PVC
URL fuente	

Datos visibles del fabricante

Handle KMP3 (6) PVC SKU: 313401 Brand: Advantec Material Type: PVC

Contenido visible del fabricante

Especificaciones KMX1 KMX3 KMP3 KMP6 Number of stations 1 3 3 6 Body & branches Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Valves PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body Cup type Exterior taper Exterior taper Standard Standard Outlet ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) Max Temp. 60 C (140 F) 60 C (140 F) 60 C (140 F) 60 C (140 F) Distance between stations N/A 6.5” 5.5” 4.75” Applications Multiple sample filtration Ideal for EPA Method 1664: Oil & Grease Analysis Detecting and enumerating bacteria using EPA Filtro de membrana (MF) technique

Tabla fuente 1

	KMX1	KMX3	KMP3	KMP6
Number of stations	1	3	3	6
Body & branches	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)
Valves	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body
Cup type	Exterior taper	Exterior taper	Standard	Standard
Outlet	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)
Max Temp.	60 C (140 F)	60 C (140 F)	60 C (140 F)	60 C (140 F)
Distance between stations	N/A	6.5”	5.5”	4.75”

313403

SKU Sterlitech	313403
Ficha del fabricante	Main Manifold KMP3 PVC
URL fuente	

Datos visibles del fabricante

Main Manifold KMP3 PVC SKU: 313403 Brand: Advantec Material Type: PVC

Contenido visible del fabricante

Especificaciones KMX1 KMX3 KMP3 KMP6 Number of stations 1 3 3 6 Body & branches Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Valves PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body Cup type Exterior taper Exterior taper Standard Standard Outlet ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) Max Temp. 60 C (140 F) 60 C (140 F) 60 C (140 F) 60 C (140 F) Distance between stations N/A 6.5” 5.5” 4.75” Applications Multiple sample filtration Ideal for EPA Method 1664: Oil & Grease Analysis Detecting and enumerating bacteria using EPA Filtro de membrana (MF) technique

Tabla fuente 1

	KMX1	KMX3	KMP3	KMP6
Number of stations	1	3	3	6
Body & branches	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)
Valves	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body
Cup type	Exterior taper	Exterior taper	Standard	Standard
Outlet	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)
Max Temp.	60 C (140 F)	60 C (140 F)	60 C (140 F)	60 C (140 F)
Distance between stations	N/A	6.5”	5.5”	4.75”

313410

SKU Sterlitech	313410
Ficha del fabricante	Replacement Standard Cup Funnel Holder for PVC Manifold
URL fuente	

Datos visibles del fabricante

Replacement Standard Cup Funnel Holder for PVC Manifold SKU: 313410 Brand: Advantec Material Type: PVC

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Contenido visible del fabricante

Especificaciones KMX1 KMX3 KMP3 KMP6 Number of stations 1 3 3 6 Body & branches Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Valves PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body Cup type Exterior taper Exterior taper Standard Standard Outlet ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) Max Temp. 60 C (140 F) 60 C (140 F) 60 C (140 F) 60 C (140 F) Distance between stations N/A 6.5” 5.5” 4.75” Applications Multiple sample filtration Ideal for EPA Method 1664: Oil & Grease Analysis Detecting and enumerating bacteria using EPA Filtro de membrana (MF) technique

Tabla fuente 1

	KMX1	KMX3	KMP3	KMP6
Number of stations	1	3	3	6
Body & branches	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)
Valves	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body
Cup type	Exterior taper	Exterior taper	Standard	Standard
Outlet	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)
Max Temp.	60 C (140 F)	60 C (140 F)	60 C (140 F)	60 C (140 F)
Distance between stations	N/A	6.5”	5.5”	4.75”

313430

SKU Sterlitech	313430
Ficha del fabricante	Stopcock Set (PVC)
URL fuente	

Datos visibles del fabricante

Stopcock Set (PVC) SKU: 313430 Brand: Advantec Material Type: PVC

Contenido visible del fabricante

Especificaciones KMX1 KMX3 KMP3 KMP6 Number of stations 1 3 3 6 Body & branches Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Valves PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body Cup type Exterior taper Exterior taper Standard Standard Outlet ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) Max Temp. 60 C (140 F) 60 C (140 F) 60 C (140 F) 60 C (140 F) Distance between stations N/A 6.5” 5.5” 4.75” Applications Multiple sample filtration Ideal for EPA Method 1664: Oil & Grease Analysis Detecting and enumerating bacteria using EPA Filtro de membrana (MF) technique

Tabla fuente 1

	KMX1	KMX3	KMP3	KMP6
Number of stations	1	3	3	6
Body & branches	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)
Valves	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body
Cup type	Exterior taper	Exterior taper	Standard	Standard
Outlet	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)
Max Temp.	60 C (140 F)	60 C (140 F)	60 C (140 F)	60 C (140 F)
Distance between stations	N/A	6.5”	5.5”	4.75”

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

313603

SKU Sterlitech	313603
Ficha del fabricante	Main Manifold KMP6 PVC
URL fuente	

Datos visibles del fabricante

Main Manifold KMP6 PVC SKU: 313603 Brand: Advantec Material Type: PVC

Contenido visible del fabricante

Especificaciones KMX1 KMX3 KMP3 KMP6 Number of stations 1 3 3 6 Body & branches Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Polyvinylchloride (PVC) Valves PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body PTFE stopcock, PVC body Cup type Exterior taper Exterior taper Standard Standard Outlet ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) ¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing) Max Temp. 60 C (140 F) 60 C (140 F) 60 C (140 F) 60 C (140 F) Distance between stations N/A 6.5” 5.5” 4.75” Applications Multiple sample filtration Ideal for EPA Method 1664: Oil & Grease Analysis Detecting and enumerating bacteria using EPA Filtro de membrana (MF) technique

Tabla fuente 1

	KMX1	KMX3	KMP3	KMP6
Number of stations	1	3	3	6
Body & branches	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)	Polyvinylchloride (PVC)
Valves	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body	PTFE stopcock, PVC body
Cup type	Exterior taper	Exterior taper	Standard	Standard
Outlet	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)	¼” MNTP to hose barb (connects to 3/8” ID vacuum tubing)
Max Temp.	60 C (140 F)	60 C (140 F)	60 C (140 F)	60 C (140 F)
Distance between stations	N/A	6.5”	5.5”	4.75”

Siguiente paso: ver producto en Cotecno | solicitar cotización