Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile



Portafiltros de vidrio y conjuntos

Código: 1510109 / 1510110 / 167120-34

Marca: STERLITECH

Ver producto en Cotecno | Solicitar cotización

Detalle | Especificaciones | Aplicaciones

Detalle

Glass Portafiltros & Assemblies

Familia publicada con base en el catálogo vigente del proveedor Sterlitech. Fabricante(s) informado(s) por proveedor: Rocker, Sterlitech.

Los códigos de variante corresponden a los SKU exactos publicados por el proveedor.

Categorías de proveedor

- Portafiltros /// Vacuum Portafiltros /// Glass Portafiltros & Assemblies

SKU incluidos

SKU	Nombre proveedor	Fabricante	Fuente
1510109	47mm Glass Microanalysis Holder, Glass Frit Support, 300 ml, 1L Flask	Sterlitech	Ficha proveedor
1510110	47mm Glass Microanalysis Holder, Acero inoxidable Support, 300 ml (USI)	Sterlitech	Ficha proveedor
167200-S4	VFC 47, Continuous Portafiltro	Rocker	Ficha proveedor

Producto Rocker

Portafiltro continuo VFC 47

Producto Rocker

Portafiltro de vidrio de 15 mL con soporte de vidrio sinterizado

Producto Rocker

Equipo de filtración VF 12

Producto Rocker

Equipo de filtración Rocker VF 16

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Producto Rocker

Equipo de filtración VF 6

Producto Rocker

Equipo de filtración VF 8

Producto Rocker

Equipo de filtración VF 17

Especificaciones técnicas

Familia Odoo	Glass Portafiltros & Assemblies
SKUs fuente	10

1510109

SKU Sterlitech	1510109
Ficha del fabricante	47mm Glass Microanalysis Holder, Glass Frit Support, 300 ml, 1L Flask
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

1510110

SKU Sterlitech	1510110
Ficha del fabricante	47mm Glass Microanalysis Holder, Acero inoxidable Support, 300 ml (USI)
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	**25**	**25**	**47**	**47**	**47**	**47**	**90**	**90**	**90**
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

167120-32

SKU Sterlitech	167120-32
Ficha del fabricante	Glass Portafiltro 15ml for VF5
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167120-34

SKU Sterlitech	167120-34
Ficha del fabricante	Glass Portafiltro 15ml for VF8
URL fuente	

Tabla fuente 1

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167200-06

SKU Sterlitech	167200-06
Ficha del fabricante	VF6, Glass Filtration Set, includes 300mL/47mm Glass Portafiltro, No. 8 Stopper, 1000mL Receiver Flask, and Silicone Fixing Sucker
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167200-08

SKU Sterlitech	167200-08
Ficha del fabricante	VF8, Glass Filtration Set, includes 25mm Portafiltro, Acero inoxidable Support, 15mL Funnel, 125mL Receiving Flask
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6

Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167200-12

SKU Sterlitech	167200-12
Ficha del fabricante	VF12 Glass Filtration Set, includes 300mL/47mm Glass Portafiltro, No. 8 Stopper, 1000mL Receiver Flask and GL45 Adaptor
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167200-16

SKU Sterlitech	167200-16
Ficha del fabricante	VF16, Glass Filtration Apparatus, includes 1000mL/90mm Glass Portafiltro, No. 8 Stopper, 5000mL Receiver Flask and GL45 Adaptor
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	**25**	**25**	**47**	**47**	**47**	**47**	**90**	**90**	**90**
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**	**KG, KGS, KGT, and GF Models**
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167200-17

SKU Sterlitech	167200-17
Ficha del fabricante	VF17, Glass Filtration Apparatus includes 1000mL/90mm Glass Portafiltro, No. 8 Stopper, 3500mL Receiver Flask and GL45 Adaptor
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

167200-S4

Importadora Gyb Limitada
Padre orellana 1476
Santiago CL13101 Chile

SKU Sterlitech	167200-S4
Ficha del fabricante	VFC 47, Continuous Portafiltro
URL fuente	

Tabla fuente 1

Tamaño de filtro (mm)	25	25	47	47	47	47	90	90	90
Model No.	VF5	VF8	VF6	VF7	VF3	VF12	VF15	VF16	VF17
Brand	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker	Rocker
Support Material	Sintered glass	SS with PTFE gasket	Sintered glass	SS with PTFE gasket	Sintered glass	Sintered glass	SS316	Sintered glass	Sintered glass
Funnel Capacity (ml)	15	15	300	300	300	300	1000	1000	1000
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper Material	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper	N/A	Silicone stopper	Silicone stopper	Silicone stopper	Silicone stopper
GL45 Filtration Adaptor Material	N/A	N/A	N/A	N/A	N/A	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)	PP (autoclavable)
Clamp	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Filtration area (cm2)	3.1	2.5	13.2	9.6	13.2	13.2	40.6	40.6	40.6
Flask Capacity (ml)	125	125	1000	1000	1000	1000	5000	5000	3500
Flask Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass

Tabla fuente 2

	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models	KG, KGS, KGT, and GF Models
Tamaño de filtro (mm)	13 (will accept 25 mm)	25	47	90	13(will accept 25 mm)	25
Brand	Advantec	Advantec	Advantec	Advantec	Sterlitech	Sterlitech
Support Material	Sintered glass	Sintered glass Acero inoxidable	Sintered glass Acero inoxidable PTFE	Sintered glass Acero inoxidable	Glass Frit	Glass Frit
Funnel Capacity	13/100, 100, 500, 1000 mL	15, 150, 300 mL	100, 300, 500, 1000 mL	1000 mL	100ml	300ml
Funnel Material	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass	Borosilicate glass
Stopper	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#5 Silicone rubber for 125 mL flask Optional #8b for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 1 L flask	#8 Silicone rubber for 250ml filtering flask	#8 Silicone rubber for 1 L flask
Clamp	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum	Anodized aluminum
Filtration area (cm 2)	1.2	2.1	9.6	43	1.2	2.1

Siguiente paso: ver producto en Cotecno | solicitar cotización