

MINI AGITADOR MAGNÉTICO BE-MINIAG-MII3



SKU: B-01-29-0006-0801 | **Categorías:** [Agitador Magnético](#) |

GALERÍA DE IMÁGENES



DESCRIPCIÓN DEL PRODUCTO

- 1、 Shell es todo material plástico (ABS), ligero y duradero.
- 2、 mezcla suave y rápida, velocidad de agitación ajustable sin escalonamientos

BE-MiniAG-MII2: con luz LED

BE-MiniAG-MII-3: sin luz LED

Modelo	BE-MiniAG-MII2	BE-MiniAG-MII3
Código SKU	B-01-29-0006-0800	B-01-29-0006-0801
Modo	Con luz	Sin luz
	máx. Volumen (ml)	1000
	Velocidad (rpm)	100~500 o 100~2000
Función	Tiempo de trabajo	Continuo
	Revolución mínima (RPM)	100
	Exterior	El plastico
	Tamaño de la placa	120 mm
Estructura	Modo de conducción	Motor
	Fuerza de motor	0.01kW
	Operación continua	Sí
	Modo de ajustes	Escala
	Modo de visualización de velocidad	Escala
Controlador	Temporizador	No
	Función de operación	No
	Velocidad y temperatura Sensor	No
	Tamaño exterior (Ancho*Largo*Alto) (mm)	∅ 138*60 #colspan#
	Tamaño del embalaje (W*L*H) (mm)	210*170*88
Especificación	Tamaño de la placa (mm)	∅ 128

Modelo

BE-MiniAG-MII2

BE-MiniAG-MII3

Fuente de alimentación
 (50/60 Hz)
 Clasificación actual
 NW/GW (kg)

100V~240V

0,6/0,7

FAITHFUL®

Mini Magnetic Stirrer
 1) Benchtop mixing equipment

Characteristics

- Shell is all-aluminum material (VDE I lightweight and durable)
- Mixing speed is adjustable

Main Technical Parameters

Parameter	Model	Mini-MII2	Mini-MII3
Power	Max. Voltage (V)	220 / 110 V AC / 50Hz	220V
	Working Time	Continuous	Continuous
	Material (Reaction) (KFM)	PP	PP
	Color	Black	Black
	Max. Size	200mm	150mm
	Driving Motor	Brushless	Brushless
	Weight (kg)	0.6/0.7	0.6/0.7
Capacity	Capacity (L)	150	100
	Capacity (mL)	1500	1000
	Capacity (mL)	1500	1000
	Capacity (mL)	1500	1000
Specification	Control Panel	PP	PP
	Control Panel Color	Black	Black
	Control Panel Size	100mm	100mm
	Control Panel Weight	1.0kg	1.0kg
	Control Panel Power	20W	20W
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000

Four Rows Magnetic stirrer
 1) Magnetic mixing equipment

Characteristics

- 4 unit stainless borplate can work together or separately
- Mixing speed is adjustable

Main Technical Parameters

Parameter	Model	Mini-MII2	Mini-MII3
Power	Max. Voltage (V)	220 / 110 V AC / 50Hz	220V
	Working Time	Continuous	Continuous
	Material (Reaction) (KFM)	PP	PP
	Color	Black	Black
	Max. Size	200mm	150mm
	Driving Motor	Brushless	Brushless
	Weight (kg)	0.6/0.7	0.6/0.7
Capacity	Capacity (L)	150	100
	Capacity (mL)	1500	1000
	Capacity (mL)	1500	1000
	Capacity (mL)	1500	1000
Specification	Control Panel	PP	PP
	Control Panel Color	Black	Black
	Control Panel Size	100mm	100mm
	Control Panel Weight	1.0kg	1.0kg
	Control Panel Power	20W	20W
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000
	Max. Speed (RPM)	2000	2000

INFORMACIÓN ADICIONAL

COTECNO