

ZEUS - TAMIZADORA CIRCULAR



En FILTRA fabricamos la **tamizadora ZEUS**. Este equipo es el adecuado para **grandes producciones en tamizados industriales**. Puede usarse para procesos de separación de sólidos en un líquido, para separación de distintas granulometrías de un mismo producto, en tamizados de seguridad para la eliminación de partículas extrañas, para la homogeneización de partículas, etc.

Admite una producción de 100 a 25.000 kg/h dependiendo del producto, la abertura de la malla y el caudal de alimentación de la máquina. Es apta para tamizar desde 36 micras hasta 25 mm.

Fabricada en acero inoxidable AISI 304 (o AISI 316, bajo petición), está dotada de un motor con masas excéntricas que genera un movimiento tridimensional facilitando al máximo el tamizado del producto. El ajuste de las masas permite regular el comportamiento del producto en la malla y la rapidez de tamizado.

El fondo dispone de una salida lateral por donde se descarga el producto obtenido. Los tamices pueden pedirse con o sin salida de producto. En caso de escoger tamices con salida, el **proceso de tamizado** se automatiza: a medida que el producto va entrando, también va saliendo por las bocas de descarga.

El modelo ZEUS admite hasta **4 tamices** con los cuales se obtienen hasta 5 separaciones de producto. Los posibles diámetros son: 550, 800, 1200 o 1500 mm. Opcionalmente se puede pedir con abrazaderas de cierre rápido, tapa, mirillas en la tapa y en los cuerpos y ruedas. Si la tamizadora va a trabajar en zona clasificada como atmósfera potencialmente explosiva se fabrica con materiales ATEX y se proporciona la documentación correspondiente. No necesita ningún piso o cimentación especial para su instalación.

SKU: N / A | **Categorías:** [Equipos Industriales](#), [Filtra](#), [Nuestras Representaciones](#) |

GALERÍA DE IMÁGENES



DESCRIPCIÓN DEL PRODUCTO

[vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"] [vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"] [vc_column_text]**Ventajas:** [vc_column_text] [/vc_column] [/vc_row] [vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"] [vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"] [vc_column_text]

Ventajas

- Tamizadora para grandes producciones.
- Gran robustez. Puede trabajar las 24 horas.
- Gran versatilidad. Fácil manejo.
- Tamices con o sin salida de producto (a elegir).
- Puede llevar ruedas.
- Mantenimiento reducido.

[/vc_column_text] [vc_column_text]

Incluye

- Manual de instrucciones.
- Declaración CE de conformidad

[/vc_column_text] [vc_column] [vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"] [vc_column_text]

bg_image_animation="none"]vc_column_text]

MOVIMIENTO 3D



[/vc_column_text][vc_column_text]

MOVIMIENTO 3D



[/vc_column_text][vc_column_text][vc_column_text][vc_column_text][vc_column_text]column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]vc_column_text]

ATEX



POSIBILIDAD DE FABRICACIÓN PARA ATMÓSFERAS EXPLOSIVAS[/vc_column_text][vc_column_text]

Ejemplos sobre el terreno



[/vc_column_text][vc_column_text][vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"]vc_column_text]column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]vc_column_text]

Equipamiento opcional

- Tapa superior con registro.
- Posibilidad de colocar registros y mirillas en tapa y cuerpos.
- Dispositivo de abrazaderas con cierre rápido.
- Anillos rozantes para limpieza de malla en continuo.
- Sistema de limpieza de malla mediante ultrasonidos.
- Cepillos de limpieza de malla.
- Juntas, tapas y bolas de silicona.
- Conexiones como "Tri clamp", "BFM", con sistema de acople rápido (sin abrazaderas ni llaves)
- Montaje de equipo sobre ruedas.
- Máquina de uno, dos, tres o cuatro pisos.
- Versiones con distintas calidades y acabados (AISI304, AISI316, Pulidos, Granallados...).
- Posibilidad de fabricación para atmósferas explosivas Ex eb certificación ATEX.
- Posibilidad de realizar modificaciones personalizadas según necesidad del usuario.

[/vc_column_text][vc_column_text][vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"

```
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```

Productos:

```
✖✖✖✖[/vc_column_text][[/vc_column][[/vc_row][vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]Accesorios:[/vc_column_text][[/vc_column][[/vc_row][vc_row
type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center"
text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom"
bg_image_animation="none"][/vc_column column_padding="no-extra-padding" column_padding_position="all"
background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none"
column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default"
phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
```

Anillos Autolimpiantes

```
✖[/vc_column_text][[/vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all"
background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none"
column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default"
phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
```

Bolas Autolimpiantes

```
✖[/vc_column_text][[/vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all"
background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none"
column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default"
phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
```

Palas Autolimpiantes

```
✖[/vc_column_text][[/vc_column][[/vc_row][vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```

Visor

```
✖[/vc_column_text][[/vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all"
background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none"
```

```
column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default"
phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
```

Ultrasonidos

```
[/vc_column_text][vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all"
background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none"
column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default"
phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
```

Conectores Rápidos

```
[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
Ensayos:[/vc_column_text][vc_column][vc_row][vc_row
type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center"
text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom"
bg_image_animation="none"][/vc_column column_padding="no-extra-padding" column_padding_position="all"
background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none"
column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default"
phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid"
bg_image_animation="none"][/vc_column_text]
```

[Ver todas las demostraciones en Youtube](#)

```
[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
Ficha Técnica:[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```

CARACTERÍSTICAS TÉCNICAS

FTI-0550				1.59/0.92 A	0.525 kW
FTI-0800	220-230 V			3.5/2.0 A	1.1 kW
FTI-1200	380-400 V	50-60 Hz	1500 rpm	6.23/3.6 A	2.0 kW
FTI-1500				6.23/3.6 A	2.0 kW

[/vc_column_text]/[vc_column]/[vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"] [vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"] [vc_column_text]

Modelos

[/vc_column_text]/[vc_column]/[vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"] [vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"] [vc_column_text]

FTI-0550



Las tamizadoras ZEUS son adecuadas para grandes volúmenes de producción en tamizado industrial. Se utilizan para separación de sólidos por granulometría, separación de líquido-sólido, tamizado de seguridad, etc.

[Descargar ficha](#)[/vc_column_text]/[vc_column]/[vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"] [vc_column_text]

FTI-0800



Las tamizadoras ZEUS son adecuadas para grandes volúmenes de producción en tamizado industrial. Se utilizan para separación de sólidos por granulometría, separación de líquido-sólido, tamizado de seguridad, etc.

[Descargar ficha](#)[/vc_column_text][vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]

FTI-1000



Las tamizadoras ZEUS son adecuadas para grandes volúmenes de producción en tamizado industrial. Se utilizan para separación de sólidos por granulometría, separación de líquido-sólido, tamizado de seguridad, etc.

[Descargar ficha](#)[/vc_column_text][vc_column][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"]

[vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/2" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]

FTI-1200



Las tamizadoras ZEUS son adecuadas para grandes volúmenes de producción en tamizado industrial. Se utilizan para separación de sólidos por granulometría, separación de líquido-sólido, tamizado de seguridad, etc.

[Descargar ficha](#)

FTI-1500



Las tamizadoras ZEUS son adecuadas para grandes volúmenes de producción en tamizado industrial. Se utilizan para separación de sólidos por granulometría, separación de líquido-sólido, tamizado de seguridad, etc.

[Descargar ficha](#)

Productividad:

PRODUCTO	LUZ DE MALLA	FTI-0550	FTI-0800	FTI-1200	FTI-1500
Leche en polvo	400μ	350Kg/h	800Kg/h	1.800Kg/h	2.800Kg/h
Zumo de naranja	1000μ	1.600l/h	3.500l/h	8.000l/h	12.000l/h
Especias (orégano, tomillo, canela...)	600μ	400Kg/h	1.000Kg/h	1.500Kg/h	1.800Kg/h
Pimenton	1000μ	180Kg/h	350Kg/h	1.000Kg/h	1.300Kg/h
Suero lacteo	50μ	1.000l/h	2.200l/h	5.000l/h	7.500l/h
Azucar glas	150μ	800 Kg/h	2.000 Kg/h	3.000 Kg/h	3.500Kg/h
Harina trigo	300μ	300 Kg/h	600 Kg/h	1.350 Kg/h	2.100Kg/h
Granza de polietileno	3000μ	600Kg/h	1.300Kg/h	3.000Kg/h	4.500Kg/h
Sulfato amonico	350μ	400Kg/h	900Kg/h	2.000Kg/h	3.100Kg/h
Polvo de toner	100μ	90Kg/h	170Kg/h	400Kg/h	600Kg/h
Polvo de cristal (envase)	100μ	270Kg/h	500Kg/h	1.300Kg/h	2.000Kg/h
Neumatico triturado	1000μ	300Kg/h	650Kg/h	1.500Kg/h	2.200Kg/h
Purines	125μ	2.000l/h	4.000l/h	10.000l/h	15.000l/h
Pet reciclado	5000μ	400Kg/h	850Kg/h	2.000Kg/h	3.000Kg/h
Aceite biocombustible	200μ	800l/h	1.600l/h	4.000l/h	6.100l/h
Pintura acrilica	80μ	500l/h	1.200l/h	2.700l/h	4.200l/h

[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]

Sectores de Aplicación:

[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]

Ejemplos de aplicación:

- Minerales.
- Fertilizantes.
- Plásticos.
- Metales.
- Semillas.
- Flores.
- Hierbas.
- Granos.
- Alimentos.
- Virutas de madera.
- Fibras.

```
[/vc_column_text]/[vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"][/vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```



```
[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```



```
[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```



```
[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" bg_image_animation="none"][/vc_column_text]
```



[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]



[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]



[/vc_column_text]/[vc_column]/[vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"]

[/vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]



[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]



[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]



[/vc_column_text]/[vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]



[/vc_column_text][vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]vc_column_text]



[/vc_column_text][vc_column][vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/6" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]vc_column_text]



[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"]vc_column column_padding="no-extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1" column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1" tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3" column_border_width="none" column_border_style="solid" bg_image_animation="none"]vc_column_text]

[/vc_column_text][vc_column][vc_row][vc_row type="in_container" full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"]vc_column column_padding="no-extra-padding"



```
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/1"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border width="none" column_border_style="solid" bg_image_animation="none"]vc_column_text]
```

Ejemplos:

```
[/vc_column_text][[/vc_column_text]][/vc_row type="in_container" full_screen_row_position="middle"
column_margin="default" scene_position="center" text_color="dark" text_align="left" overlay_strength="0.3"
shape_divider_position="bottom" bg_image_animation="none"] [vc_column column_padding="no-extra-padding"
column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_row type="in_container"
full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left"
overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"] [vc_column column_padding="no-
extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/4"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid"
bg_image_animation="none"] [vc_column_text] [/vc_column_text] [/vc_column] [vc_row type="in_container"
```

```
full_screen_row_position="middle" column_margin="default" scene_position="center" text_color="dark" text_align="left"
overlay_strength="0.3" shape_divider_position="bottom" bg_image_animation="none"][vc_column column_padding="no-
extra-padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" 
bg_image_animation="none"][vc_column_text][vc_column_text][vc_column][vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" 
bg_image_animation="none"][vc_column_text][vc_column_text][vc_column][vc_column column_padding="no-extra-
padding" column_padding_position="all" background_color_opacity="1" background_hover_color_opacity="1"
column_link_target="_self" column_shadow="none" column_border_radius="none" width="1/3"
tablet_width_inherit="default" tablet_text_alignment="default" phone_text_alignment="default" overlay_strength="0.3"
column_border_width="none" column_border_style="solid" 
bg_image_animation="none"][vc_column_text][vc_column_text][vc_column][vc_row]
```

INFORMACIÓN ADICIONAL

COTECNO